From:	Microsoft Outlook [MicrosoftExchange329e71ec88ae4615bbc36ab6ce41109e@usepa.onmicrosoft.com]
Sent:	11/25/2020 6:36:56 PM
To:	**Ex. 6 Personal Privacy (PP)**
Subject:	Undeliverable: EPA issued final Underground Injection Control permits for the Dewey-Burdock uranium site: weblink to EPA documents
Attachments:	EPA issued final Underground Injection Control permits for the Dewey-Burdock uranium site: weblink to EPA documents

Your message did not reach some or all of the intended recipients.

Subject:EPA issued final Underground Injection Control permits for the Dewey-Burdock uranium site: weblink to EPA documents
Sent:11/25/2020 6:36:57 PM

The following recipient(s) cannot be reached:

Ex. 6 Personal Privacy (PP) on 11/25/2020 6:36:57 PM

Diagnostic code = MailRecipientUnknown; Reason code = TransferImpossible; Status code = 511Diagnostic code = MailRecipientUnknown; Reason code = TransferImpossible; Status code = 511
<cxr-ibgw-5001a.stratus.cloudmark.com #5.1.1 smtp;550 5.1.1 < Ex. 6 Personal Privacy (PP) Recipient address rejected: User does not exist.><cxr-ibgw-5001a.stratus.cloudmark.com #5.1.1 smtp;550 5.1.1
< Ex. 6 Personal Privacy (PP) Recipient address rejected: User does not exist.>

Office 365

Your message couldn't be delivered to multiple recipients.

The recipients weren't found at Ex. 6 Personal Privacy (PP)

Robinson.Valois	**Office 365**	**Recipients**
Action Required		Recipients

Unknown To address

Couldn't deliver to the following recipients:

Ex. 6 Personal Privacy (PP)

How to Fix It

The address may be misspelled or may not exist. Try one or more of the following:

- Send the message again following these steps: In Outlook, open this non-delivery report (NDR) and choose **Send Again** from the Report ribbon. In Outlook on the web, select this NDR, then select the link **"To send this message again, click here."** Then delete and retype the entire recipient address. If prompted with an Auto-Complete List suggestion don't select it. After typing the complete address, click **Send**.
- Contact the recipient (by phone, for example) to check that the address exists and is correct.

- The recipient may have set up email forwarding to an incorrect address. Ask them to check that any forwarding they've set up is working correctly.
- Clear the recipient Auto-Complete List in Outlook or Outlook on the web by following the steps in this article: Fix email delivery issues for error code 5.1.1 in Office 365, and then send the message again. Retype the entire recipient address before selecting **Send**.

If the problem continues, forward this message to your email admin. If you're an email admin, refer to the **More Info for Email Admins** section below.

Was this helpful? Send feedback to Microsoft.

More Info for Email Admins

Status code: 550 5.1.1

This error occurs because the sender sent a message to an email address outside of Office 365, but the address is incorrect or doesn't exist at the destination domain. The error is reported by the recipient domain's email server, but most often it must be fixed by the person who sent the message. If the steps in the **How to Fix It** section above don't fix the problem, and you're the email admin for the recipient, try one or more of the following:

The email address exists and is correct - Confirm that the recipient address exists, is correct, and is accepting messages.

Synchronize your directories - If you have a hybrid environment and are using directory synchronization make sure the recipient's email address is synced correctly in both Office 365 and in your on-premises directory.

Errant forwarding rule - Check for forwarding rules that aren't behaving as expected. Forwarding can be set up by an admin via mail flow rules or mailbox forwarding address settings, or by the recipient via the Inbox Rules feature.

Mail flow settings and MX records are not correct - Misconfigured mail flow or MX record settings can cause this error. Check your Office 365 mail flow settings to make sure your domain and any mail flow connectors are set up correctly. Also, work with your domain registrar to make sure the MX records for your domain are configured correctly.

For more information and additional tips to fix this issue, see Fix email delivery issues for error code 550 5.1.1 in Office 365.

Original Message Details

Created Date:	11/25/2020 6:36:32 PM
Sender Address:	Robinson.Valois@epa.gov
Recipient Address:	**Ex. 6 Personal Privacy (PP)**
Subject:	EPA issued final Underground Injection Control permits for the Dewey-Burdock uranium site: weblink to EPA documents

Error Details

Reported error:	550 5.1.1 Ex. 6 Personal Privacy (PP) *Recipient address rejected: User does not exist.*
DSN generated by:	DM8PR09MB6150.namprd09.prod.outlook.com

Remote server: cxr-ibgw-5001a.stratus.cloudmark.com

Message Hops

HOP	TIME (UTC)	FROM	TO	WITH
1	11/25/2020 6:36:33 PM	DM8PR09MB6469.namprd09.prod.outlook.com	DM8PR09MB6469.namprd09.prod.outlook.com	mapi
2	11/25/2020 6:36:33 PM	DM8PR09MB6469.namprd09.prod.outlook.com	DM8PR09MB6150.namprd09.prod.outlook.com	Microsoft SMTP Serv< cipher=TLS_ECDHE_R

Original Message Headers

ARC-Seal: i=1; a=rsa-sha256; s=arcselector9901; d=microsoft.com; cv=none;

b=FiCRKLPthYo/6wtvNp8v9MTcpFjoc7XdLL2iG2kWXoeRJtO3ggGwhr0hGuFeJmGPTVDUg6a9ptVur9rGxouJtop
h2eo50cbpDfmBoGVxJa3J/rtUwSLG+2Fgol4T9+nUq6nS7Of+NdqeJj8QEe/DSdYW0qnthOhE6PzdT3qVFJukkheu
Z/Yhs7wDJ0YC3sVvr8+nqdacPqYBDYLBhD9QbyTw//NSLNanJruSKcK28SU5FYIXP8EFpZnwiuB/2llWc0l/P9ay2
A0efVU5k9zsOHlEeH16AMzJt4YI8pl9h+CqZlzn71GLG5dW6sDRsd919IvGue9Nks2hQ/gvAnvD3g==
ARC-Message-Signature: i=1; a=rsa-sha256; c=relaxed/relaxed; d=microsoft.com;
 s=arcselector9901;
 h=From:Date:Subject:Message-ID:Content-Type:MIME-Version:X-MS-Exchange-SenderADCheck;
 bh=2DQAW3x8Axe3wlCzyQ7gPksF08yDb6I9YoBygthcrac=;

b=lUyzwfxwq5vU0RnSp3WzDjl0lnbNxv3KVHil6S75/vVz1IQn+W9oD586GZOChB0la26XrlTsEvGZvrO0KbVmOI8
PAhz6ll/uBAB5vAAqJb0enayTWfcn3lxXihtesccrpDGhiG/Pvj3+7fYBdyFewlzgdhCc0P8myetrAvgMQ48iz2yL
XxG5wCo9BCpQNEf9y1AxWVZDfBn7frbbGTLdFnBJwPUOFTr55IyaYgDht2WVLvtNkZ6wDY9wsczhSYnEuexEBKRjQ
cryOsDkGdCPxcYFkQDkQJQ2PUBmzh2SiBiWnwdVbonprU9epYtW+9tDv/kLJjxcdccipplCzIshmQ==
ARC-Authentication-Results: i=1; mx.microsoft.com 1; spf=pass
 smtp.mailfrom=epa.gov; dmarc=pass action=none header.from=epa.gov; dkim=pass
 header.d=epa.gov; arc=none
DKIM-Signature: v=1; a=rsa-sha256; c=relaxed/relaxed; d=epa.gov; s=selector2;
 h=From:Date:Subject:Message-ID:Content-Type:MIME-Version:X-MS-Exchange-SenderADCheck;
 bh=2DQAW3x8Axe3wlCzyQ7gPksF08yDb6I9YoBygthcrac=;

b=qnSP6hfdIZi9rdzxKKswGb32D+E30uGAYqPWDjHIUMddqKfry9jhxWCuXDD3llpCQWfsIj+39k7T9/WevsQyEM2
GWbl+nNsuqOrejy3FU6IRvD7P4tf2WKXkBLi2OlzAd4QuIWiyVmKSn3y/+sWLpSsJrDwTsw2uqjiMc8LeM7g=
Received: from DM8PR09MB6469.namprd09.prod.outlook.com (2603:10b6:5:2e3::15)
 by DM8PR09MB6150.namprd09.prod.outlook.com (2603:10b6:5:2ef::24) with
 Microsoft SMTP Server (version=TLS1_2,
 cipher=TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384) id 15.20.3611.20; Wed, 25 Nov
 2020 18:36:33 +0000
Received: from DM8PR09MB6469.namprd09.prod.outlook.com
 ([fe80::c10f:5598:675a:5927]) by DM8PR09MB6469.namprd09.prod.outlook.com
 ([fe80::c10f:5598:675a:5927%4]) with mapi id 15.20.3611.020; Wed, 25 Nov 2020
 18:36:33 +0000
From: "Robinson, Valois" <Robinson.Valois@epa.gov>
Subject: EPA issued final Underground Injection Control permits for the
 Dewey-Burdock uranium site; weblink to EPA documents
Thread-Topic: EPA issued final Underground Injection Control permits for the

Dewey-Burdock uranium site: weblink to EPA documents

Thread-Index: AdbDWbwu7IUzucDZQemaVA7hqbD0fg==
Date: Wed, 25 Nov 2020 18:36:32 +0000
Message-ID:
<DM8PR09MB64695B6D111EF659A898AC88F4FA0@DM8PR09MB6469.namprd09.prod.outlook.com>
Accept-Language: en-US
Content-Language: en-US
X-MS-Has-Attach:
X-MS-TNEF-Correlator:
authentication-results: yahoo.com; dkim=none (message not signed)
 header.d=none;yahoo.com; dmarc=none action=none header.from=epa.gov;
x-originating-ip: [97.118.130.155]
x-ms-publictraffictype: Email
x-ms-office365-filtering-correlation-id: 025ab14d-5506-4c1b-38ea-08d8917108d7
x-ms-traffictypediagnostic: DM8PR09MB6150:
x-ld-processed: 88b378b3-6748-4867-acf9-76aacbeca6a7,ExtAddr
x-microsoft-antispam-prvs:
<DM8PR09MB6150130BECE8D783AE351686F4FA0@DM8PR09MB6150.namprd09.prod.outlook.com>
x-ms-oob-tlc-oobclassifiers: OLM:5236;
x-ms-exchange-senderadcheck: 1
x-microsoft-antispam: BCL:0;
x-microsoft-antispam-message-info:
IabwDcHnbnpEUPRz/yJoblnM42ys4a/Mj/Tur5R99jvtGnNhwrwKN9I3TJPTsffgWgeYXPj8Jy/LyUvtsMC3YpF8S
7nIVXsGGTK+nL5mh/bc8fiwFMR12LyN02iKm9aCjtz92o7OHPK+wIZgjqOtEFEBuWG4y/+QJopm5W31SHEG3TETPM
eSnn6/HYy6u+1OqAzbFhB905JrxkXOP5/Ne1OPuUIAK96ryWF0eORaJwesIrvihJP/tw90Z2h1/5OT7+4NUfQ76w1
anzwzrrjPqBoWASEbEbWMo+wv0HPMH6f/WNCoWyEsSmGW2DHc3QC15sIC0qqTNIpLOqFAUTBvQdop9BhkN3UpgVjO
PrVBdQ3f6eRQa3P4ikidkU2UQyjClnPrVwDBt3q0eMTVi1t+hzQAecjZ6qjbKXTaagDiv1xB+qOnF7kO9N2EU5t1u
ALSpAOCbf3OXProU/Og9NkMXTxoZ9kjqrZc2DvK2qozMBnLN4+6S6tQ0zESti9bJznk

x-forefront-antispam-report:
CIP:255.255.255.255;CTRY:;LANG:en;SCL:1;SRV:;IPV:NLI;SFV:NSPM;H:DM8PR09MB6469.namprd09.pr
od.outlook.com;PTR:;CAT:NONE;SFS:(4636009)(346002)(396003)(136003)(39860400002)(366004)(3
76002)(7276002)(55016002)(8676002)(66556008)(478600001)(64756008)(5660300002)(7336002)(74
06005)(316002)(2906002)(86362001)(7366002)(66946007)(66476007)(76116006)(66446008)(525360
14)(7416002)(7696005)(109986005)(966005)(83080400002)(8936002)(9686003)(76576003)(166002)
(8912003)(6568605)(186003)(98732003)(6506007)(71200400001)(4744005)(26005)(33656002)(10
5050200002);DIR:OUT;SFP:1102;

x-ms-exchange-antispam-messagedata:
uCZ+NPrrHqH8Kpn5VxRn/CfxHt/wP+D//vDkBrefYrCxHTzsk2Ozed/LvVmgHXUVoBhxSil3OGY/biWEz+uj75K1G
dw3h9eS9RSYih5uU3DNKB3UPz2wKIni0vvkr/w9ULe5qX8o9etel/atjF8uycFmBI2zasYw9it5UDCPF0QM0HnzbA
wnKsNMLrEFRRjBKWcab4qMzDH7P3JaWtybFIk4kwNOwO2lG5kWxXJBICotvh6bdMpLoy3xUwczDoWtKm9ExPQxPyX
SPPjrTmQQW915nHRJVeA62npVfVBesuIG1lc9m3bANX32y/80uWOCX0Yvi8b2QTQasLMH1KR0ebZZj1CNobcpQQ9r
eLJ7M50pNrX/pXsBtxI8/z6NJjc8Y7043JyIH8s1KM+vosqINjzJ1xVGq3jHlzlDwEu0NITe/3US6cwVBHq4+sdqD
w4X8mahWJWjYPzsSObmUUi0vJrC8WHpvSEVrSir2Tn5uZAqknLLHSFa3oRVvWPflL0a9FXYFgMVGjX6PUWINmCj1M
GXq4+IA/43qTRrtbwUfQXN1cGh0Ye0Q+VBKswLsSSPAgvpUK4Jzh4AaWJthPo6GPs3ZocW670WAqExYaG9PPs/Afn
DOMuWWafpLonncXK9Yc+8mYOYanHxhWLddSWWH04kod91udJgKkvDromY4TMPv1Dz45WOL14Dsimhi6GcZaIKZ0Gc
UXAz9/2kfk673f/fcgrHvIkQyub1L/fmBPITusinbVNukU2mtdBGmNIK1K17ZG1srY7ToUd5WKqP9aSHyhfrIg8zq
D1Aj9C9GYfyYVK9VgMKe87jEpkeMm7FLE1/fyKPE1/gI7rbWKXWm17Q9boFJgphZUVBnPOfBuSxrLGytN/ANknReY
EFhwcmPM+UWBoduEZLV8BtDKGveA==
x-ms-exchange-transport-forked: True
Content-Type: multipart/alternative;
        boundary="_000_DM8PR09MB64695B6D111EF659A898AC88F4FA0DM8PR09MB6469namp_"
MIME-Version: 1.0
X-OriginatorOrg: epa.gov
X-MS-Exchange-CrossTenant-AuthAs: Internal

X-MS-Exchange-CrossTenant-AuthSource: DM8PR09MB6469.namprd09.prod.outlook.com
X-MS-Exchange-CrossTenant-Network-Message-Id: 025ab14d-5506-4c1b-38ea-08d8917108d7
X-MS-Exchange-CrossTenant-originalarrivaltime: 25 Nov 2020 18:36:32.6234
 (UTC)
X-MS-Exchange-CrossTenant-fromentityheader: Hosted
X-MS-Exchange-CrossTenant-id: 88b379b3-6748-4867-acf9-76aacbeca6a7
X-MS-Exchange-CrossTenant-mailboxtype: HOSTED
X-MS-Exchange-CrossTenant-userprincipalname:
ebsPfNnwB/mG+30/hoWEYFCXYYioDpm+SKEyj6peV7XlN3nq4bK9r0rzrm+p2GGDHDPYp968uxsDGGsoHUlNig==
X-MS-Exchange-Transport-CrossTenantHeadersStamped: DM8PR09MB6150